



Bay H1A, Smithstown Industrial Estate, Shannon, Co. Clare, Ireland V14 YT78

Made in Ireland
 Sharp Shape™ CAD CAM Technology
www.archwayorthotics.ie

PLEASE PRINT CLEARLY

Patient Name _____
 Clinic Name _____ Practitioner's Name _____
 Clinic Address _____

PATIENT DETAILS

D.O.B / Age Male/Female Weight Height Shoe Size

Chief Complaints / Comments _____

CHOOSE ORTHOTIC TYPE

Standard Heel Cup
Material: Direct Milled Polypropylene
 Multipurpose, General footwear & Sports
Extrinsic Heel Post

Slim Heel Cup
Material: Direct Milled Polypropylene
 Multipurpose, General footwear & Sports
Intrinsic Heel Grind

Long life EVA Orthotics
EXTRA Flexible Option: Specifically designed for Shock Absorption when engaging in sports or running. And accommodative for Diabetic or Arthritic feet.
Material: EVA with thin Polypro shell.

CHOOSE HEEL CUP DEPTH

8mm Shallow 14mm Standard 18mm Deep

SLIM CUT ORTHOTICS

Low Profile
 This design is completely **flat at the heel (No Heel cup depth)**, for an over-all slimmer fit.

Sports Boot Cut
 Tapered in Medially and Laterally For a better fit in sports boots

CAST MODIFICATIONS

(Medial Arch Cast Fill) Default to Lower 4mm

None (to cast)
 Lower 2mm
 Lower 3mm
 Lower 4mm

TOP COVER LENGTH

No Top Cover
 Met Length
 Sulcus Length
 Full Length

TOP COVER MATERIAL

(Choose additional cushioning below)

ETC™ Sports 3mm Navy
 (Add €5)

ECO Leather Black
 (Fine Embossed Vinyl)

EVA 1.5mm Black
 (Soft Perforated)
 Add 2mm cushioning below for extra comfort

Lunasoft SL & EVA
 (Durable, hypoallergenic)

Black 2mm Lunasoft SL

Beige 2mm Lunasoft SL

Army camouage 1.5mm EVA

Multicolour 2mm EVA

FOREFOOT ADDITIONS

1st Ray Cutout (Small Cut) L R _____

1st Met Cutout (Long Cut) L R _____

Met Pads L R _____
 2mm low profile 3mm low profile 5mm dome

Varus Met Bar (2-5) L R _____
 3mm thickness 5mm thickness

Met Bar L R _____

Morton's Extension L R _____

Reverse Mortons Ext L R _____

Sulcus Extension Soft Firm L R _____

Met Head Cut Outs Left Right 1 2 3 4 5 1 2 3 4 5 (Please Circle)

MIDFOOT & REARFOOT ADDITIONS

Arch Pad L R _____

Medial Flange L R _____

Heel Cushion L R _____

Hole in Heel L R _____

Heel Spur Pad L R _____

Kirby Skive L R _____

Heel Raise L (mm) R (mm)

Posting Degrees

Rearfoot L R Forefoot L R

Varus⁰ (Medial Wedge) Varus⁰

Valgus⁰ (Lateral Wedge) Valgus⁰

ORTHOTIC FLEXIBILITY

Standard Flex
 Semi Rigid
 Rigid

ADDITIONAL CUSHIONING

1mm 2mm 3mm 4mm

Rearfoot Posting

Extrinsic
 Intrinsic
 (Heel Grind)

Forefoot Posting

Extrinsic (With post)
 Intrinsic (Without post)